

ELECTRONIC BED FITTING

DIGITAL FURNITURE LOCK

VIDEO DOOR PHONE

DIGITAL DOOR LOCK





Haken Systems is a recognized international brand in innovation and product development providing high quality Fashion Electronic Door Lock, Wirless Video Door Phone systems, Electronic bed fittings and much more and offering a variety of solutions for both consumers and dealers.

Leader in Innovation and Product Development

Throughout our history, Haken Systems has consistently demonstrated its ability to provide solutions to consumers' need for products that express their lifestyle. Haken has introduced many innovative products to the marketplace in the past years including the Spanish Bed fittings, Smart Electronic Door Locks with Anti-Tarnish finish, the Powerbolt Keyless Home Access System.

High Quality Fashion Doorware

Quality and security are an integral part of every product. Knowing that all Haken products will function properly and provide the added protection and security you expect, allows you to choose from a number of stylish products with confidence.

Variety of Solutions

At Haken Systems, we know that one product line will not fit every consumers' needs. That's why we offer several different styles of Video door phones & Smart Door Locks with varying features and price points. Every line features a selection of Decorator Finishes.

For those who desire only the best, Products offered by Haken is our finest line of automation systems.

If you are looking for convenience, our Electronic Keyless Home Access System & digital furniture products are the perfect solution. These products offer the latest in electronic technology and permit home access with a personalized security code or remote access. Now your kids or even service personnel can access your home without the hassle of duplicate keys. So whether you're looking for low price, unique style, wide selection or simple convenience, Haken Systems has the product to meet your needs and complement your lifestyle.





Electronic Bed Fitting	U3
Digital Furniture Lock	05
Video Door Phone	10
Digital Door Lock	15
Digital Door Lock Accessories	21
Hotel Lock	23



ELECTRONIC BED FITTING



ELECTRIC BED FITTING





WIRELESS REMOTE CONTROL +

MOBILE BLUETOOTH APP

OPERATE WITH:

- Wired remote control
- Wireless remote Control + Mobile app
- Concealed up / down button

SPECIFICATION:

- Weight capacity upto 400kg
- Double electric motor piston
- No space wastage in the storage

CONCEALED

BUTTON



DIGITAL FURNITURE LOCKS





For Wood, UPVC & Glass Doors





1. SOLO INVISIBLE RFID LOCK





RFID CARD

Application:
Swing & Sliding
Door both





DOOR THICKNESS19-32MM

- RFID Card Access (upto 50)
- Low Battery Indicator
- Automatic Locking Function
- No Locking if Battery Down

2. SOLO INVISIBLE BLUETOOTH LOCK





Bluetooth

Application: Swing & Sliding Door both





DOOR THICKNESS Min. 19 MM

- Mobile App Access
- Low Battery Indicator
- Open/Close Log Data Access
- Distance of 20 Feet from mobile
- Automatic / Manual Locking Function
- No Locking if Battery Down

PLACES OF APPLICATION



Shops and Retail:

Glass cabinets and display cases, supply cupboards, staff lockers



Hospitals:

Storage cabinets, cupboards and lockers for medical equipment or



Offices:

Filing cabinets, kitchen and stationery cupboards



Schools:

Staff and student lockers, equipment and storage



Clubs:

Staff and visitor lockers, glass display cabinets, equipment and



For Wooden Doors





3. KEYPAD LOCK BLACK





(Front Body)

(Back Body)



Password

DOOR THICKNESS Max. 27 MM

- Password Access
- Low Battery Indicator
- Automatic Locking Function
- No Locking Function

4. KEYPAD LOCK WHITE





(Front Body)



(Back Body)



Password

DOOR THICKNESS Max. 27 MM

- Password Access
- Low Battery Indicator
- Automatic Locking Function
- No Locking Function

PLACES OF APPLICATION



Shops and Retail:

Glass cabinets and display cases, supply cupboards, staff lockers



Hospitals:

Storage cabinets, cupboards and lockers for medical



Offices:

Filing cabinets, kitchen and stationery cupboards



Schools:

Staff and student lockers, equipment and storage



Clubs:

Staff and visitor lockers, glass display cabinets, equipment and



For Wooden Doors





5. TWO30+ INVISIBLE RFID LOCK

(for sliding overlapping doors)



- RFID Card Access (upto 50)
- Low Battery Indicator
- Automatic Locking Function
- No Locking if Battery Down

■ For maximum two overlapping doors (as shown below in the image)







(For Glass overlapping doors) Glass Kit Extra



(For Wooden overlapping doors)

- For Installation of this lock, need to calculate the thickness of the door
 + distance between both the doors in mm (total should not exceed 30 mm)
- This lock has inbuilt packing for supporting upto 25mm thick door, for installing in:
 - Door thickness < 25 mm, need to screw an external (wooden)
 packing between the rear door & the lock to make it uptill 25 mm.
 - Door thickness > 25 mm, need to conceal the lock inside the rear door to make it uptill 25 mm.

ACCESSORIES



3D Latch

3d Adjustable Stainless Steel Latch for swing & sliding Doors (included in the lockset)



DEID Card

The Range is approx. 30 mm cross wood or glass
Use upto 50 different cards per lock.
(2 RFID Cards included in the lockset)



External Antenna

used whenever the distance from the key is greater than 25 mm or if the lock is fixed onto a real panel. Cable: 1.5m



Battery

When the battery starts to run out, the lock will no longer lock and a continuous tone will sound for 15 seconds. (included in the lockset)



Glass Set

This kit has an additional adhesive tape, which makes you install the lock on the glass as well.



Self Push Latch

It helps give a self pull open to the door when you unlock the door with RFID, Bluetooth or Keypad.

PLACES OF APPLICATION



Shops and Retail:

Glass cabinets and display cases, supply cupboards,



Hospitals:

Storage cabinets, cupboards and lockers for medical equipment or



Offices:

Filing cabinets, kitchen and stationery cupboards



Schools:

Staff and student lockers, equipment



Clubs:

Staff and visitor lockers, glass display cabinets, equipment and





6. CODAK FP Fingerprint Lock





- High-Tech: Semiconductor fingerprint identification technology, more sensitive and reliable.
- Low Power consumption: Power supplied by only one AAA battery, small in size. If the battery is low, the lock will prompt everytime you use it, change the battery
- Maximum 5 fingerprints can be registered.
 ISO9001&14001, CE & FCC Certified
- Application: Drawer, Cabinet, Wardrobe etc.
- Material: Zinc alloy and Stainless Steel

Door Thickness:Model A: 16-22mmModel B: 30-36mm



Nickel



7. SOLA (Cm) Keypad Lock

SOLA Lock can be installed vertically or Horizontally for Left or Right handed configuration

Size: Depth 26.9mm x Height 152.4mm x Width 31.8mm (Front Panel)

Horizontal Left Handed



Locked Position

Horizontal Right Handed



Locked Position





Nickel




Depth 19mm x Height 82mm x Width 59mm (Front Panel)





VIDEO DOOR PHONE







Motion-Sensing







Intercom



Unlock



App-Based




Night Vision

Wifi Door Bell







Main Unit

- Can be connected to Haken digital door locks.
- Can unlock door lock sitting anywhere in the world using your mobile.
- The image effect: 720P.
- Connect to 8V~36V Low-voltage power supply
- Camera angle: 120°
- 1.3 pixels.
- Touch button

Now increase your home security by bringing your house view on your mobile using our wifi video door bell











HVDP-WFBL20 (outdoor unit)



Doorphone

This Device has intercom function



Mobile Access

See and speak to visitors via your mobile APP from any place



Photo Taking

Take photos by your mobile via APP



Video Recording

Support TF card recording



Night Vision

Buit-in night vision allows you to capture activity around the door at night



Chime

Work as a normal door chime when your phone is not nearby or turned off



Motion Dectection

Built-in motion sensor triggers mobile alerts



Remote Unlock

Unlock your via APP (electric / digital lock is sold separately)



White





(indoor + outdoor unit)

No Wiring needed at all

Fully Wireless Setup: can be connected to our locks wirelessly















New Technology in Town Go Wireless with the latest & most advanced Video Door Phone in the World

PRODUCT DESCRIPTION

- Wireless hands-free communication.
- High class touch button operation.
- Portable indoor monitor for HVDP-WL31.
- Wireless video intercom.
- Wireless surveillance outdoor.
- Wireless unlock door strike (The electric lock needs extra power supply)
- Wireless working distance: (150 area).
- The HVDP-WL31 with motion dectecting photo-taking function, maximum 100 photo can be saved.
- Support up to 3 indoor units.

2. Wire Video Door Phone with integrated mobile app Technology

HVDP-WF30



White



Black



HVDP-BL30

















(Single Button Outdoor Unit)

PRODUCT DESIGN


Monitoring & Security
 We can monitor what is going on at home no matter where we are via APP.

video image immediately. You can unlock the door strike remotely by APP, or unlock by the indoor unit.

Unlock Door Strike by Mobile
 When someone presses the call button on the outdoor unit, the indoor unit will ring and the mobile phone will get the

Photo Taking & Video Recording
 User can take photos or record video
 via APP.

3. Wire Video Door Phone with integrated mobile app Technology



HVDP-BL40 (4 Button Outdoor Unit)



DIGITAL DOOR LOCK








1. HDL-FRX100 PUSHPULL LOCK FACE DETECTION & PALM RECOGNITION





6 way



Mechanical Key



RFID Smart Card



Bluetooth with app
(Optional)



Remote Control
(Optional)

- Remote Control / Video Door Phone / Bluetooth integration (Sold Separately)
- Size 85 x 367 x 73 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)

2. HDL-PP64









RFID Smart Card

Pattern Lock



Mechanical Keys

Dual Authentication Mode



Remote Control

(Optional) (Optional)



• Remote Control / Video Door Phone / Bluetooth Integration (Sold Separately)

- Size-Outer Body: 85 x 367 x 73 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)

For Wooden Doors




3. HDL-PP53










Bluetooth with app (Optional)



Remote Control (Optional)



- Size-Outer Body: 89 x 288 x 70 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)

Gold



Metal Die Cast Body

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability



One-touch Door closing With one touch, you can close the lock



Fake Pass Code / Smart **Touch Pad**

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password



External Emergency Battery Port

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily



Anti-Hacking System it offers a state of the art anti theft system

4. HDL-M41





Titan Silver

Champagne Gold

- Optional Remote Control / VDP Integration (Sold Separately)
- Size 83 x 304 x 21.95 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)

5. HDL-M34



- Remote Control / Video Door Phone / Bluetooth integration (Sold Separately)
- Size 80 x 255 x 24 (mm)
- Door Thickness: 35-60 (mm)
- 60-100mm (Kit Extra)



Metal Die Cast Body

A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability



One-touch Door closing
With one touch, you can
close the lock



Fake Pass Code / Smart Touch Pad

Easiliy accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password



External Emergency Battery Port

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily



Anti-Hacking System it offers a state of the art anti theft system

6. HDL-R51











For Sliding & **Double Door**

Champagne Gold

Graphite Black

Back Body







Smart Touch Pad

Finger Print Access

RFID Smart Card

Emergency Mechanical Key

- Remote Control / Video Door Phone / Bluetooth integration (Sold Separately)
- Size 75 x 180 x 25 (mm)
- Door Thickness: 35-60 (mm)

Fake Pass Code / Smart **Touch Pad**

One-touch Door closing

With one touch, you can

close the lock

Metal Die Cast Body A full metal casting creates the interior of the lock which provides a smooth surface, dimensional accuracy, strength and durability

Easily accessible with a set of PIN of 4-12 digits and provides a cryptic unlocking system to disguise your password

7. HDL-R32N





Slimmest Biometric Lock Ever with vertical sash body

Black

Smart Touch Pad

Finger Print Access

Optional Remote Control / VDP Integration (Sold Separately)

Back Body

- Size 64 x 170 x 15 (mm)
- Door Thickness: 35-60 (mm)



External Emergency Battery Port

If the battery goes down then there is an emergency port provided the outdoor lock body with which 9V battery can be connected without any hassle and then the lock can be operated easily



Anti-Hacking System it offers a state of the art anti theft system



8. HDL-R21-S



2_{way}

For Sliding & Double Door



Black



Smart Touch Pad

Back Body



Finger Print Access

- Door Thickness: 35-60 (mm)
- Size 74 x 179 x 24 (mm)

9. HDL-R31



3_{way}



Titan Silver



Smart Touch Pad

Back Body

RFID Smart Card



Mechanical Keys

- Door Thickness: 35-60 (mm)
- Size 73 x 180 x 20 (mm)

10. HDL-RG24





2_{way}

(FOR GLASS DOOR)



Smart Touch Pad



Finger Print Access



Dual Authentication mode

- Optional Remote Control / VDP Integration
 (Sold Separately)
- Size 70 x 170 x 22 (mm)
- Door Thickness: 10-12 (mm)

(No Need to make a hole or cut-out in the glass)

HDL-RG24

(Without Remote Control Set)

HDL-RG24-RC

(Including remote control & Receiver Module)



DIGITAL LOCK ACCESSORIES







Receiver Module

FRX-100 / PP-64 / PP-53 / M-34 R32-N / RG24-RC



Receiver Module

HDL-M41



Receiver Module

HDL-R51



Remote Control

FRX-100 / PP-64 / PP-53 / M-34 R32-N / RG24-RC





Remote Control
HDL-R51



VDP Module

FRX-100 / PP-64 / PP-53 / M-34 R32-N / RG24-RC



VDP Module

HDL-M41



VDP Module
HDL-R51



Bluetooth Module

HDL-PP64 / PP53 / R51 / M-34



Glass to Glass Module HDL-RG24



RFID Card



Big Lock Body*
HDL-M41
*(to be exchanged in

lieu of small lock body)




HOTEL LOCKS




Hotel Door Locks (Wooden Doors)



















Black Nickel


FEATURES
















TECHNICAL SPECIFICATIONS

- Mechanism: 304# reader, front / back panel and handle
- Unlock way: Mifare card or mechanical key
- Power Supply: 4xAA alkaline battery (DC6v)
- Working Temperature:-20-45 degree
- Working humidity: 20-95%
- Suitable door thickness: 45-65mm

CE CERTIFIED

70# ANSI Mortise

- With standard 70mm backset ANSI mortise
- Microswitch inside the mortise is with over 1000,000 times life test.
- Latch and deadbolt parts are with SS-304 die casting material, durable and reliable.

Hotel Lock Accessories



HHL-ACC-ESS10

ENERGY SAVING SWITCH

The energy saver is specially designed to be used as power switch in the hotels and suitable for Mifare/RF card to control the power with high security. it can save about 40% power consumption in your daily use.

Use method: you can insert one card into the switch to get the power, the signal light will show red. upon drawing out the card, the power will be off after 15 seconds.

TECHNICAL SPECIFICATIONS

- Working voltage:AC220V+10%
- Working current:40A

- Time delay: 15 seconds
- Working temperature:-40oC-+50oC



HHL-ACC-MC10





HHL-ACC-DEC



HHL-ACC-ENC




HHL-ACC-LCD HAND HELD LCD DEV



• Universal USB port, no need extra driver

- Auto detect the card
- Fast reading speed and stable to use
- Support one card system integration
- One station solution, no need special room setting card
- Easy to check the card information
- · Convenient to check audit trial records
- Support checkout function.



REQUIREMENTS FOR INTEGRATION / SETUP

Computer: memory: 500GB above, hard disk suggested 2G above,

USB port required.

Software: Windows system, windows 8/10.

Database: Windows Access / Microsoft SQL server 2008 above.

Encoder: Read / write card and software registration.

Door Lock: Installed on each room.

LCD Handset: Configure Room No. Adjust time, audit trial records etc.

MiFARE Card: Unlock the door lock.